

ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER'S NAME

TRINIDAD & TOBAGO NATIONAL PETROLEUM MARKETING CO. LTD.

EMERGENCY TELEPHONE NUMBER:

868-623-6245

FAX NUMBER:

627-4028

ADDRESS

NP HOUSE, NATIONAL DRIVE, SEA LOTS, PORT- OF - SPAIN, TRINIDAD &TOBAGO, W.I.

PRODUCT NAME

ULTRA SUPERMATIC TRANSMISSION FLUID DEXRON III

GENERIC AND/OR CHEMICAL NAME

AUTOMATIC TRANSMISSION FLUID

SECTION 2: HAZARDS IDENTIFICATION

This material is not considered to be hazardous according to regulations.

GHS-Classification

Not a hazardous subtance or mixture.

GHS Label Elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other Hazards

Repeated or prolonged contact with the skin, without proper cleaning, can clog the pores of the skin leading to folliculitis or oil acne.

ULTRA LUBRICANTS

SAFETY DATA SHEET

ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

Chemical Nature : Highly refined mineral oils and Additives

Hazardous Components

| Component | ICAS-No | Concentration (% w/w%) | GHS Classification |
|--|------------|------------------------|--------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | >= 90 - <= 100 | Asp. Tox. 1; H304 |

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

If inhaled : If adverse effects occur, remove to fresh air. Using proper

respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is

stopped. Keep at rest.

In case of skin contact : Wash with soap and water. Obtain medical attention if

skin disorders develop. Remove contaminated clothing and launder before reuse. Discard shoes and other leather

articles saturated with the material.

In case of eye contact : Flush eyes with copious quantities of water and obtain

medical aid if irritation persists.



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

If swallowed : Clean mouth with water, drink afterwards plenty of water and

get medical attention. DO NOT INDUCE VOMITING. Never

give anything by mouth to an unconscious person.

Most important symptoms and :

effects, both acute and delayed

No symptoms known or expected.

Protection of first-aiders : Ensure that the appropriate personal protective equipment

(PPE) is being worn when administering first aid.

Notes to physician : Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Foam, Water-Fog, Carbon-Dioxide and Dry chemical.

UNSUITABLE EXTINGUISHING MEDIA

Do NOT use water jet to extinguish flames.

UNUSUAL FIRE AND EXPLOSIVE

NONE

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE

Combustibility : Not classified as flammable or combustible, but will combust if

ignited.

Hazardous combustion

products

Carbon monoxide

Carbon dioxide

Unburned hydrocarbons (smoke)



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

Specific extinguishing

methods

Use standard procedure for extinguishing chemical fires.

Execute procedures appropriate to local circumstances and

surrounding environment.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Use Personal Protective Equipment (PPE).

Refer to protective measures listed in Section 8.

Environmental precautions

Prevent entry into drains or water courses by using earth, sand

or other appropriate barriers.

Do not flush into surface water or sanitary sewer system. Contain the release to prevent further leakage or spillage, if it

is safe to do so.

Inform respective local authorities if the product contaminates

rivers, lakes or drains.

Methods and materials for containment and cleaning up

Prevent spreading by making a barrier using earth, sand or

other containment material.

Wipe up with absorbent material (e.g. cloth, fleece).

Reclaim material directly or in an absorbent. Keep in suitable, closed containers for disposal.

Additional advice : See Section 8 of this Safety Data Sheet for guidance on

selection of personal protective equipment.

See Section 13 of this Safety Data Sheet for guidance on

disposal of spilled material.



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 7: HANDLING AND STORAGE

Advice on safe handling : Avoid repeated or prolonged contact with skin.

Safety footwear should be worn when handling product in drums and proper handling equipment should be used.

For personal protection, see Section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Use properly labeled and closable containers.

Incompatible materials and

coatings

Compatibility with plastics will vary.

Further information on storage:

stability

No decomposition if stored and applied as directed.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

| Component | CAS-No. | | Control parameters / Permissable | Basis |
|--|------------|--------------------------|----------------------------------|-------|
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | TWA (Inhalable fraction) | 5 mg/m³, 8 hours | ACGIH |



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

Engineering Controls : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal Protective Equipment

Respiratory protection : Based on the hazard and potential for exposure, select a

respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Type A/Type P boiling point

>65°C (149°F)

Hand protection : The protective gloves selected should be approved to the

relevant standards (eg. ASTM F739, EN 374).

The protective gloves should be made of the following materials such that is provides suitable chemical protection:

Neoprene, Nitrile rubber or PVC.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the

gloves.

Consider the specific local conditions in which the product is used, like the danger of cuts, abrasion, and contact time.

Eye/ Face protection : Safety glasses with side shields.

Skin and Body protection : Protective suit, long sleeved clothing

Hygiene measures : General industrial hygiene practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Red viscous liquid

Odor : Characteristic mineral oil



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

Melting / Freezing Point : Data not available

Boiling Point : Not Applicable

Flash Point (Closed) : 190 °C

Evaporation Rate : Not Determined

Vapor Pressure : Not Determined

Kinematic Viscosity of Liquid @:

100 °C

7.5 mm²/s

Specific Gravity : 0.9946

SECTION 10: STABILITY AND REACTIVITY

Reactivity : No dangerous reactions known under conditions of normal

use.

Chemical Stability : Stable under recommended storage conditions.

Possibility of Hazardous

Reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Excessive heat

Incompatible Materials : Strong oxidizing agents

Hazardous Decomposition

Products

No decomposition if stored and used as directed.



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 11: TOXICOLOGICAL INFORMATION

Basis for assessment : The information given is based on the toxicology of the

components or similar products. The data represents the product as a whole, rather than the individual component(s),

unless indicated otherwise.

Product

Acute oral toxicity : The material is not considered an oral toxicant. The product

has not been tested. The statement is based on evaluation of

data for similar materials or product components.

Acute inhalation toxicity : The material is not considered an inhalation toxicant. The

product has not been tested. The statement is based on

evaluation of data for similar materials or product components.

Acute dermal toxicity : The material is not considered a dermal toxicant. The product

has not been tested. The statement is based on evaluation of

data for similar materials or product components.

Skin corrosion/ irritation : The material is not considered a skin irritant.

Serious eye damage/ eye

irritation

The material is not considered an an eye irritant.

Respiratory or skin sensitisation: The material is not considered a skin sensitizer.

Germ cell mutagenicity : The material is not considered a mutagen.

Carcinogenicity : The material is not considered a carcinogen.



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

Reproductive toxicity : The material is not considered a reproductive toxicant.

Specific Target Organ Toxicity:

(STOT) - Single exposure

The material is not considered a specific target organ toxicant

(single exposure).

Specific Target Organ Toxicity:

(STOT) - Repeated exposure

The material is not considered a specific target organ toxicant

(repeated exposure).

Aspiration toxicity : This material is not considered a aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Basis for assessment : The information given is based on the ecotoxicology of the

components or similar products. The data represents the product as a whole, rather than the individual component(s),

unless indicated otherwise.

Product

Ecotoxicity : The material is not expected to be harmful to aquatic

organisms. The product has not been tested. The statement

has been derived from the properties of the individual

components.

Mobility : No data available.

Persistance and degradability: This material is not expected to be readily biodegradable.

Bioaccumulative potential : No data available.



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 13: DISPOSAL CONSIDERATIONS

Use materials for their intended purpose, or recycle them when possible. Oil collection services are available for the recycling or disposal of used oil. Contaminated materials should be placed in containers and disposed of in accordance with relevant regulations. For approved disposal or recycling methods, please contact your sales representative or local environmental or health authorities.

SECTION 14: TRANSPORT INFORMATION

The description provided may not apply to all shipping scenarios. Refer to 49CFR or the relevant Dangerous Goods Regulations for further description requirements (such as technical names) and shipping requirements specific to the mode of transport or quantity.

DOT Shipping Description: NOT REGULATED AS HAZARDOUS MATERIAL UNDER 49 CFR

IMO/IMDG Shipping Description: NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER THE IMDG CODE

ICAO/IATA Shipping Description: NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Ship per Annex I



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Chemical Inventories:

All components comply with the following chemical inventory requirements: AICS (Australia), DSL (Canada), ENCS (Japan), IECSC (China), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

SECTION 16: OTHER INFORMATION

Key to the H-statements contained in sections 2 and 3 of this document.

H304 May be fatal if swallowed and enters airways.

Key or legend to abbreviations and acronyms used in the safety data sheet

DSL : Domestic Substances List (DSL)

PICCS : Inventory of Chemicals and Chemical Substances (PICCS)

TSCA : Toxic Substances Control Act Inventory (TSCA)
AICS : Australia Inventory of Chemicals Substances (AICS)

IECSC : China. Inventory of Existing Chemical Substances in China

(IECSC)

ENCS : Japan. ENCS - Existing and New Chemical Substances

Inventory

KECLKorea. Korea Existing Chemicals List (KECL)NZIoCNew Zealand. Inventory of Chemical Substances



ULTRA SUPERMATIC



Print Date: 03/01/2022 Revision Date: 2024/11/15 Issue No.4

EINECS : European Inventory of Existing Commercial Chemical

Substances (EINECS)

TCSI : Taiwan Chemical Substance Inventory

TWA : Time weighted average

PPE : Personal Protective Equipment

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE TO THE BEST OF NP'S KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE ISSUED. NP DOES NOT WARRANT OR GUARANTEE THEIR ACCURACY OR RELIABILITY AND SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE ARISING OUT OF THE USE THEREOF. THE INFORMATION AND RECOMMENDATIONS ARE OFFERED FOR THE USER'S CONSIDERATION AND EXAMINATION, AND IT IS THE USER'S RESPONSIBILITY TO SATISFY ITSELF THAT THEY ARE SUITABLE AND COMPLETE FOR ITS PARTICULAR USE.

END OF DOCUMENT